

# Integrated Vent IV100

## Application

The integrated vent IV100 from J.A. Plast is an absolutely discreet solution for ventilation of the roof space and batten cavity.

*Please refer to national standards.*

- For pitched roofs
- 10,000 mm<sup>2</sup> ventilation area
- Can be manufactured for any profile

Note:

Slate: min. 25° pitch

Clay and concrete: min. 22.5° pitch  
but depending on profile.

## Design

The IV100 vent is designed to be as efficient and discreet as possible. It has a built in water stop, which diverts rainwater safely back onto the roof surface. A protective grille keeps out insects and drifting snow. The vent is supplied installed in a base plate shaped to fit the roof profile 100%.

Easily installed with the rest of the roofing material the vent presents a very discreet ventilation solution.

## Colour and Surface

Special coloured, glossy or structured with sand of granules the vents can be supplied with a 100% colour and surface match individually adjusted to each roofing material.

## Materials

The vent is manufactured from HIPS (High Impact Polystyrene).

## Handling

Keep in original packaging during transport.

Do not wrap and expose to heavy load during transport.

Remove plastic bag before placing in sunlight.



*Roofing accessories supplied from J.A. Plast match roof profile, colour and surface 100%. The current product list and further information can be found on our homepage, [www.japlast.com](http://www.japlast.com).*